

$$\frac{\partial \sigma_{xx}}{\partial x} + \frac{\partial \sigma_{xy}}{\partial y} = 0$$

$$\frac{\partial \sigma_{xy}}{\partial x} + \frac{\partial \sigma_{yy}}{\partial y} = 0,$$

$$\frac{\partial \sigma_{xx}}{\partial x} + \frac{\partial \sigma_{xy}}{\partial y} = 0$$

$$\frac{\partial \sigma_{xy}}{\partial x} + \frac{\partial \sigma_{yy}}{\partial y} = 0,$$

$$\begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix} = \frac{E}{(1 + \nu)(1 - 2\nu)} \begin{bmatrix} 1 - \nu & \nu & 0 \\ \nu & 1 - \nu & 0 \\ 0 & 0 & \frac{1}{2}(1 - 2\nu) \end{bmatrix} \begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix}$$

$$\frac{\partial \sigma_{xx}}{\partial x} + \frac{\partial \sigma_{xy}}{\partial y} = 0$$

$$\frac{\partial \sigma_{xy}}{\partial x} + \frac{\partial \sigma_{yy}}{\partial y} = 0,$$

$$\begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix} = \frac{E}{(1 + \nu)(1 - 2\nu)} \begin{bmatrix} 1 - \nu & \nu & 0 \\ \nu & 1 - \nu & 0 \\ 0 & 0 & \frac{1}{2}(1 - 2\nu) \end{bmatrix} \begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix}$$

$$\begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix} = \begin{bmatrix} \frac{\partial}{\partial x} & 0 \\ 0 & \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix} \begin{bmatrix} u_x \\ u_y \end{bmatrix}$$

$$\mathbf{B}^T \hat{\boldsymbol{\sigma}} = \mathbf{0},$$

$$\hat{\boldsymbol{\sigma}} = \mathbf{D}\hat{\boldsymbol{\epsilon}},$$

$$\hat{\boldsymbol{\epsilon}} = \mathbf{B}\mathbf{e},$$

$$\begin{aligned}\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0}, \\ \hat{\boldsymbol{\sigma}} &= \mathbf{D} \hat{\boldsymbol{\epsilon}}, \\ \hat{\boldsymbol{\epsilon}} &= \mathbf{B} \mathbf{e},\end{aligned}\quad \mathbf{B} = \begin{bmatrix} \frac{\partial}{\partial x} & 0 \\ 0 & \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix} \quad \hat{\boldsymbol{\sigma}} = \begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix}$$

$$\begin{aligned}
 \mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0}, \\
 \hat{\boldsymbol{\sigma}} &= \mathbf{D} \hat{\boldsymbol{\epsilon}}, \\
 \hat{\boldsymbol{\epsilon}} &= \mathbf{B} \mathbf{e},
 \end{aligned}
 \quad
 \mathbf{B} = \begin{bmatrix} \frac{\partial}{\partial x} & 0 \\ 0 & \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix}
 \quad
 \hat{\boldsymbol{\sigma}} = \begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix}$$

$$\mathbf{D} = \frac{E}{(1 + \nu)(1 - 2\nu)} \begin{bmatrix} 1 - \nu & \nu & 0 \\ \nu & 1 - \nu & 0 \\ 0 & 0 & \frac{1}{2}(1 - 2\nu) \end{bmatrix}$$

$$\hat{\boldsymbol{\epsilon}} = \begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix}$$

$$\begin{aligned}
\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0}, \\
\hat{\boldsymbol{\sigma}} &= \mathbf{D} \hat{\boldsymbol{\epsilon}}, \\
\hat{\boldsymbol{\epsilon}} &= \mathbf{B} \mathbf{e},
\end{aligned}
\quad
\mathbf{B} = \begin{bmatrix} \frac{\partial}{\partial x} & 0 \\ 0 & \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix}
\quad
\hat{\boldsymbol{\sigma}} = \begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix}$$

$$\mathbf{D} = \frac{E}{(1 + \nu)(1 - 2\nu)} \begin{bmatrix} 1 - \nu & \nu & 0 \\ \nu & 1 - \nu & 0 \\ 0 & 0 & \frac{1}{2}(1 - 2\nu) \end{bmatrix}$$

$$\hat{\boldsymbol{\epsilon}} = \begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix}
\quad
\mathbf{e} = \begin{bmatrix} u_x \\ u_y \end{bmatrix}$$

$$\begin{aligned}
\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0}, \\
\hat{\boldsymbol{\sigma}} &= \mathbf{D} \hat{\boldsymbol{\epsilon}}, \\
\hat{\boldsymbol{\epsilon}} &= \mathbf{B} \mathbf{e},
\end{aligned}
\quad
\mathbf{B} = \begin{bmatrix} \frac{\partial}{\partial x} & 0 \\ 0 & \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix}
\quad
\hat{\boldsymbol{\sigma}} = \begin{bmatrix} \sigma_{xx} \\ \sigma_{yy} \\ \sigma_{xy} \end{bmatrix}$$

$$\mathbf{D} = \frac{E}{(1 + \nu)(1 - 2\nu)} \begin{bmatrix} 1 - \nu & \nu & 0 \\ \nu & 1 - \nu & 0 \\ 0 & 0 & \frac{1}{2}(1 - 2\nu) \end{bmatrix}$$

$$\hat{\boldsymbol{\epsilon}} = \begin{bmatrix} \epsilon_{xx} \\ \epsilon_{yy} \\ \gamma_{xy} \end{bmatrix}
\quad
\mathbf{e} = \begin{bmatrix} u_x \\ u_y \end{bmatrix}
\quad
\begin{aligned}
\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0} \\
\mathbf{B}^T \mathbf{D} \hat{\boldsymbol{\epsilon}} &= \mathbf{0} \\
\mathbf{B}^T \mathbf{D} \mathbf{B} \mathbf{e} &= \mathbf{0}
\end{aligned}$$

$$\mathbf{B}^T \hat{\boldsymbol{\sigma}} = \mathbf{0}$$

$$\mathbf{B}^T \mathbf{D} \hat{\boldsymbol{\epsilon}} = \mathbf{0}$$

$$\mathbf{B}^T \mathbf{D} \mathbf{B} \mathbf{e} = \mathbf{0}$$

$$\mathbf{e} = \begin{bmatrix} u_x \\ u_y \end{bmatrix}$$

$$\begin{aligned}\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0} \\ \mathbf{B}^T \mathbf{D} \hat{\boldsymbol{\epsilon}} &= \mathbf{0} \\ \mathbf{B}^T \mathbf{D} \mathbf{B} \mathbf{e} &= \mathbf{0}\end{aligned}\quad \mathbf{e} = \begin{bmatrix} u_x \\ u_y \end{bmatrix}$$

Weak form?

$$\begin{aligned}
\mathbf{B}^T \hat{\boldsymbol{\sigma}} &= \mathbf{0} \\
\mathbf{B}^T \mathbf{D} \hat{\boldsymbol{\epsilon}} &= \mathbf{0} \\
\mathbf{B}^T \mathbf{D} \mathbf{B} \mathbf{e} &= \mathbf{0}
\end{aligned}
\quad \mathbf{e} = \begin{bmatrix} u_x \\ u_y \end{bmatrix}$$

Weak form?

$$u_x(x, y) \approx [N_1(x, y) \quad N_2(x, y) \quad N_3(x, y) \quad N_4(x, y)] \begin{bmatrix} u_x(1) \\ u_x(2) \\ u_x(3) \\ u_x(4) \end{bmatrix} = \mathbf{N} \mathbf{u}_x$$

$$u_y(x, y) \approx [N_1(x, y) \quad N_2(x, y) \quad N_3(x, y) \quad N_4(x, y)] \begin{bmatrix} u_y(1) \\ u_y(2) \\ u_y(3) \\ u_y(4) \end{bmatrix} = \mathbf{N} \mathbf{u}_y$$

$$\mathbf{r} = \begin{bmatrix} u_x(1) \\ u_y(1) \\ u_x(2) \\ u_y(2) \\ u_x(3) \\ u_y(3) \\ u_x(4) \\ u_y(4) \end{bmatrix}$$

$$\mathbf{r} = \begin{bmatrix} u_x(1) \\ u_y(1) \\ u_x(2) \\ u_y(2) \\ u_x(3) \\ u_y(3) \\ u_x(4) \\ u_y(4) \end{bmatrix}$$

$$\mathbf{K} \mathbf{r} = \mathbf{F}$$

$$\mathbf{r} = \begin{bmatrix} u_x(1) \\ u_y(1) \\ u_x(2) \\ u_y(2) \\ u_x(3) \\ u_y(3) \\ u_x(4) \\ u_y(4) \end{bmatrix}$$

$$\mathbf{K} \mathbf{r} = \mathbf{F}$$

$$\mathbf{K} = \int_{\Omega^e} \hat{\mathbf{B}}^T \mathbf{D} \hat{\mathbf{B}} dV,$$

$$\mathbf{K} \mathbf{r} = \mathbf{F}$$

$$\mathbf{K} = \int_{\Omega^e} \hat{\mathbf{B}}^T \mathbf{D} \hat{\mathbf{B}} dV,$$

$$\mathbf{r} = \begin{bmatrix} u_x(1) \\ u_y(1) \\ u_x(2) \\ u_y(2) \\ u_x(3) \\ u_y(3) \\ u_x(4) \\ u_y(4) \end{bmatrix}$$



$$\hat{\mathbf{B}} = \begin{bmatrix} \frac{\partial N_1}{\partial x} & 0 & \frac{\partial N_2}{\partial x} & 0 & \frac{\partial N_3}{\partial x} & 0 & \frac{\partial N_4}{\partial x} & 0 \\ 0 & \frac{\partial N_1}{\partial y} & 0 & \frac{\partial N_2}{\partial y} & 0 & \frac{\partial N_3}{\partial y} & 0 & \frac{\partial N_4}{\partial y} \\ \frac{\partial N_1}{\partial y} & \frac{\partial N_1}{\partial x} & \frac{\partial N_2}{\partial y} & \frac{\partial N_2}{\partial x} & \frac{\partial N_3}{\partial y} & \frac{\partial N_3}{\partial x} & \frac{\partial N_4}{\partial y} & \frac{\partial N_4}{\partial x} \end{bmatrix}$$

$$\mathbf{r} = \begin{bmatrix} u_{x(1)} \\ u_{y(1)} \\ u_{x(2)} \\ u_{y(2)} \\ u_{x(3)} \\ u_{y(3)} \\ u_{x(4)} \\ u_{y(4)} \end{bmatrix} \quad \mathbf{K} \mathbf{r} = \mathbf{F} \quad \mathbf{K} = \int_{\Omega^e} \hat{\mathbf{B}}^T \mathbf{D} \hat{\mathbf{B}} dV,$$

$$\hat{\mathbf{B}} = \begin{bmatrix} \frac{\partial N_1}{\partial x} & 0 & \frac{\partial N_2}{\partial x} & 0 & \frac{\partial N_3}{\partial x} & 0 & \frac{\partial N_4}{\partial x} & 0 \\ 0 & \frac{\partial N_1}{\partial y} & 0 & \frac{\partial N_2}{\partial y} & 0 & \frac{\partial N_3}{\partial y} & 0 & \frac{\partial N_4}{\partial y} \\ \frac{\partial N_1}{\partial y} & \frac{\partial N_1}{\partial x} & \frac{\partial N_2}{\partial y} & \frac{\partial N_2}{\partial x} & \frac{\partial N_3}{\partial y} & \frac{\partial N_3}{\partial x} & \frac{\partial N_4}{\partial y} & \frac{\partial N_4}{\partial x} \end{bmatrix}$$

$$\mathbf{F} = \begin{bmatrix} - \oint_{\partial\Omega^e \cap \partial\Omega} \mathbf{N}^T (\sigma_{xx} n_x + \sigma_{xy} n_y) dS \\ - \oint_{\partial\Omega^e \cap \partial\Omega} \mathbf{N}^T (\sigma_{yx} n_x + \sigma_{yy} n_y) dS \end{bmatrix} = \begin{bmatrix} - \oint_{\partial\Omega^e \cap \partial\Omega} \mathbf{N}^T t_x dS \\ - \oint_{\partial\Omega^e \cap \partial\Omega} \mathbf{N}^T t_y dS \end{bmatrix}$$

Global node and element numbering



$$g_num = \begin{bmatrix} 1 & 2 & 3 & 5 & 6 & 7 & 9 & 10 & 11 \\ 5 & 6 & 7 & 9 & 10 & 11 & 13 & 14 & 15 \\ 6 & 7 & 8 & 10 & 11 & 12 & 14 & 15 & 16 \\ 2 & 3 & 4 & 6 & 7 & 8 & 10 & 11 & 12 \end{bmatrix}$$

Relationship between elements and global node numbers

$$nf = \begin{bmatrix} 1 & 3 & 5 & 7 & 9 & 11 & 13 & 15 & 17 & 19 & 21 & 23 & 25 & 27 & 29 & 31 \\ 2 & 4 & 6 & 8 & 10 & 12 & 14 & 16 & 18 & 20 & 22 & 24 & 26 & 28 & 30 & 32 \end{bmatrix}$$

Relationship between nodes and equation numbers

$$g_g = \begin{bmatrix} 1 & 3 & 5 & 9 & 11 & 13 & 17 & 19 & 21 \\ 2 & 4 & 6 & 10 & 12 & 14 & 18 & 20 & 22 \\ 9 & 11 & 13 & 17 & 19 & 21 & 25 & 27 & 29 \\ 10 & 12 & 14 & 18 & 20 & 22 & 26 & 28 & 30 \\ 11 & 13 & 15 & 19 & 21 & 23 & 27 & 29 & 31 \\ 12 & 14 & 16 & 20 & 22 & 24 & 28 & 30 & 32 \\ 3 & 5 & 7 & 11 & 13 & 15 & 19 & 21 & 23 \\ 4 & 6 & 8 & 12 & 14 & 16 & 20 & 22 & 24 \end{bmatrix}$$

Relationship between elements and equation numbers