

Introduction to Finite Element Modelling in Geosciences

June 18 - 22, 2018

ETH Zurich

Antoine Rozel (ETH Zurich)
Antoine.rozel@erdw.ethz.ch

Patrick Sanan (ETH Zurich)
Patrick.sanan@erdw.ethz.ch

Who are we?

Antoine

Oberassistent — Geophysical Fluid Dynamics group (P. Tackley)

Global scale convection

French



Patrick

Postdoc — Geophysical Fluid Dynamics group (P. Tackley) - Advanced Computing

Scalable solvers and scientific software

Californian



Objectives

To learn:

1. the basics of the finite element method;
2. how to program the finite element method;
3. how to apply it to equations relevant for Earth science applications.

The course is given in the form of MATLAB exercises, with an introduction of the relevant theory.

Format

This is a “hands on” course. “Hands on” means **you code** whilst **we assist you**.

In our experience, this is the most effective way to teach Earth scientists the finite element method.

This is not a theoretical class. Only the essential components of the theory will be discussed, however, if you require further details, please ask.

Learning the practical aspects of finite elements is only achieved by writing your own code

Schedule

- 9:00 -- 1 hour presentation / overview / Q&A
- 13:30 -- 1 hour presentation / overview / Q&A
- The rest of the time you will be reading the course notes, hand-outs, completing the exercises, writing MATLAB code, or asking us for assistance.

Teaching Material

<http://jupiter.ethz.ch/~gfdteaching/femblockcourse/2018/>

Assessment

To obtain a mark of 5.0

- Program the 2D diffusion equation with bilinear and with biquadratic elements.
- Compute the order of accuracy of your code for both element types for the steady state diffusion equation (look at the online lecture notes).

To obtain a mark greater than 5.0, do one (or more) of:


- Write a 2D elasticity code and demonstrate that it is working correctly with a suitable test problem.
- Write a 2D stokes code (this will definitely earn a mark of 6.0). Perform an order of accuracy test with the method of manufactured solutions
- for a time dependent 2D diffusion problem (using biquadratic elements). Find a cool geological application for any of the codes you have developed
- and show how your numerical model gives new insight into this problem.

Assessment

- Prepare a short report (<10 pages) including a description of the model, the code implementation and any figures/graphs. All figures/graphs must have labelled axis, etc.
- The source code used to generate your results must be submitted with your report. It is a requirement that we can reproduce your results.
- All reports and code must be submitted by september 15th.
- Please email your submission to antoine.rozel@erdw.ethz.ch
- You can ask as many questions and visit as often as you require (appointment via email please!) to get your code working. This is encouraged and will not negatively influence your final mark.

Why do we need numerics?


- Traditional methods to understand the Earth consist of geological, geophysical field based approaches - together with analogue experiments.



- None of these, on their own, or collectively, can satisfactorily provide a complete understanding of the dynamics in $z-t$ space.

Why do we need numerics?

- Analytic methods only take us so far...
- Overly simplified to the point where they don't resemble anything "Earth like".
- Boundary conditions are often not appropriate.
- Restricted dimensionality.
- Mathematically too complex for most normal people...



Why use Finite Elements?

The Finite Element Method (FEM) possesses several important characteristics which are relevant to studying geological processes in a reliable and accurate manner:

1. Simplicity in applying the method to new equations.
2. Simplicity in meshing complicated geometries (internal and external). Meshes can be constructed using triangles or quadrilaterals. Meshes can be deformed and evolve with time.
3. Wide range of boundary conditions are easily able to be used; e.g. free surface boundary conditions are trivial to implement.
5. Jumps in material properties do not introduce any additional complexity.
6. Minimal programming complexity when changing from 2D to 3D (much code can be re-used).
7. Rich mathematical foundations —> reliable and accurate results.

Finite Element Examples

- Mantle convection
- Lithospheric deformation
 - crustal scale
 - regional scale
- Heat flow, surface processes
- Two-phase flow
- Wave propagation


Convection

Global scale mantle convection

(Burstedde. et al, SC, 2009;
Stadler, et al, Science, 2010)


[Stokes flow + Energy transport]

- + Locally adaptive mesh.
- + Adaptation follows flow features.
- + 1 km resolution at the plate boundaries.






“RHEA”

A



B




Lithospheric deformation

Viscous folding


(Lechmann, et al, GJI, 2011)

[Linear 3D Stokes flow]


- + Free surface boundary condition.
- + Deformed upper boundary.
- + Non-regular mesh on interior.
- + Viscosity layering resolved via mesh.



“LaMEM”



(a)




(b)

Lithospheric deformation


Coupled thermo-mechanical models

[Non-linear 3D Stokes flow + Energy transport + Surface processes]

- + Deformed upper boundary, coupled to surface process models.
- + Non-regular mesh on interior.
- + Flux boundary conditions.



“DOUAR”




(Braun, et al, PEPI, 2008)


+ Local grid refinement

(Pysklywec, Geology, 2016)

“SOPALE”



“FANTOM”



(Thieulot, PEPI, 2011)



Lithospheric deformation

Continental break-up

(May et al, Super Computing, 2014;
May et al, CMAME, 2014)



[Non-linear 3D Stokes flow + heat flow]

- + Free surface boundary condition.
- + Visco-plastic rheology.
- + Deformed upper boundary.
- + Non-regular mesh on interior.
- + Fast \rightarrow exploiting tensor product basis.
- + Massively parallel HPC implementation.



Material inflow at the base of the box to compensate outflow

Localisation is triggered by two cubes of elevated plastic strain





Heat Flow and Surface Processes

Thermochronology

(Braun, Comput. & Geosci., 2003)


[Energy transport + surface processes]

- + Deformed upper boundary.
- + Non-regular mesh on interior.
- + Flux boundary conditions.




“Pecube”


(A)




(B)



(C)



(D)



(E)




Wave Prop.

Global / local scale wave propagation
(CIG : www.geodynamics.org)

[Elasto-dynamics]


- + High order polynomials.
- + Locally adaptive mesh.
- + Topography tracked (deformed upper boundary).
- + Material jumps captured by the mesh.




SPECFEM 3D GLOBE

User Manual
Version 5.1

Ebru Bozdağ
Joseph Charles
Min Chen
Vala Hjörleifsdóttir
Sue Kentz
Dimitri Komatitsch
Jesús Labarta
Nicolas Le Goff
Qinya Liu
Yang Luo
Alessia Maggi
Roland Martin
Dennis McRitchie
Matthias Meschede
David Michéa
Tarje Nissen-Meyer
Daniel Peter
Brian Savage
Bernhard Schuberth
Anna Siaminski
Leif Strand
Carl Tape
Jeroen Tromp
Zhinan Xie
Hajun Zhu






“SPECFEM”



SPECFEM 3D

User Manual
Version 2.1




Piero Basini
Céline Blitz
Ebru Bozdağ
Emanuele Casarotti
Joseph Charles
Min Chen
Vala Hjörleifsdóttir
Sue Kentz
Dimitri Komatitsch
Jesús Labarta
Nicolas Le Goff
Peyre Le Lohér
Qinya Liu
Yang Luo
Alessia Maggi
Federica Magnoni
Roland Martin
Dennis McRitchie
Matthias Meschede
Peter Messer
David Michéa
Tarje Nissen-Meyer
Daniel Peter
Min Qiu



MATLAB FE codes for research?



- Unstructured triangular meshes
- **Fast** 1M DOFs per minute
- Lots of applications
 - mixing
 - folding
 - sedimentation
 - thermo-chemical convection



Numerical investigation of thermal spallation drilling using an uncoupled quasi-static thermoelastic finite element formulation

T. Meier^a, D. A. May^b, and Ph. Rudolf von Rohr^a

^aInstitute of Process Engineering, ETH Zürich, Zürich, Switzerland; ^bInstitute of Geophysics, ETH Zürich, Zürich, Switzerland

ABSTRACT

In this work, we examine thermal spallation drilling through finite element modeling of the uncoupled quasi-static thermoelastic problem describing the stresses induced by rapid and localized heating of a uniaxially pre-stressed rock core. The numerical procedure is verified using the method of manufactured solutions, and the optimal order of accuracy is demonstrated. From a series of numerical experiments, we present the temperature and stress profiles along the centerline of the rock core which are discussed qualitatively with respect to the corresponding laboratory experiments. Our numerical results, in agreement with the experiments, emphasize that the efficiency of thermal spallation drilling increases linearly with the vertical stress.

ARTICLE HISTORY

Received 16 October 2015

Accepted 3 April 2016

KEYWORDS

Finite element modeling;
flame-jet drilling; spallation;
thermal stresses

now it is your turn...